

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

Created on/Creato il 20 giugno 2017

Last revised/Ultima revisione 19 settembre 2019

MATERIAL SAFETY DATA SHEET

1. Identification of the substance/mixture and of the Company/Undertaking

Bulk code/Cod. Prod. bulk **STST_2**

Codice Cliente 0005

1.1. Product identifier

NEW MIRACLE STENCIL (NC; STENCIL TRANSFER)

1.2. Relevant identified uses of the substance or mixture and uses advised against

ADESIVO PER DECALCOMANIE (STENCILS)
STENCIL ADHESIVE

Regol. 1223/2009 (CE), classification NON E' UN PRODOTTO COSMETICO MA UN PRODOTTO TECNICO AUSILIARIO PER IL TATUAGGIO. NOT A COSMETIC; TECHNICAL AID FOR TATTOO.

How to use the substance or mixture

APPLICARE UNO STRATO SOTTILE DI MIRACLE STENCIL SULLA PELLE, POSIZIONARE CON UNA LEGGERA PRESSIONE. LASCIARE ASCIUGARE PER ALCUNI MINUTI. - APPLY A THIN LAYER OF MIRACLE STENCIL ON THE SKIN, PLACE THE STENCIL WITH A LIGHT PRESSURE. ALLOW TO DRY FOR A FEW MINUTES. THE AREA IS READY FOR WORK.

1.3. Details of the supplier of the Safety Data Sheet

Prodotto o importato da:

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

Marketed by (no data if the same of the SDS supplier):

Firm/Ragione sociale
Site/Località
Address - Via/piazza e numero

Phone/Telefono
Fax

ZIP Town Province/CAP Città Provincia

1.4. Emergency telephone number

Incredibile Tattoo Supply

+39 0522 268296

SCHEDA DI SICUREZZA

1.4 Emergency call phone numbers

EU wide emergency number: 112

Emergency number for each country outside EU may be different: seek for POISON CENTER phone numbers in your country and write them in the space below.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

2. Hazards identification**2.1 Classification according to EU Regulation 1272/2008**

Il prodotto è da considerarsi NON PERICOLOSO. In condizioni severe (elevata temperatura, esposizione a fiamma libera) potrebbe infiammarsi.

The product is to be considered NOT DANGEROUS. In severe conditions (very high temperature, exposition to naked flame) could catch fire.

2.2 Label elements

Cosmetic products have their specific Regulation (Regulament 1223/2009 CE) and are NOT subjected to safety labeling as finished products. Safety labelig is mandatory when in bulk.

**Pericoli/Hazards**

H242 = Rischio di incendio per riscaldamento (could catch fire on strong heating)

GHS 02

Prudenza/Caution**Prevenzione/Prevention**

H242 = P210; P220; P234; P280

Reazione/Reaction

H242 = P370+P378

Conservazione/Storage

H242 = P403+P235; P411; P420

Smaltimento/Disposal

H242 = P501

Substances to be considered as hazardous as per Regulation 1272/2008 (EU)

Alcool etilico CAS 64-17-5 (Conc. 30% in peso) infiammabile cat. 2; irritante per gli occhi Cat. 2

Ethanol CAS 64-17-5 (60% w/w) FLAMMABLE LIQUID 2; EYE IRRITANT 2

3. Composition / Information on ingredients (identified by INCI names/CosIng)
STST_2

STST_2

Funzione cosmetica

Table with 2 columns: Ingredient Name (INCI names) and Cosmetic Function. Rows include: AQUA, ALCOHOL DENAT., PVP, CETEARYL ISONONANOATE, HYDROXYPROPYL METHYLCELLULOSE, ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER, SQUALANE, CETEARETH-20, CETEARYL ALCOHOL, GLYCERYL STEARATE, POLYQUATERNIUM-7, GLYCERYN, CETYL PALMITATE, CETEARETH-12, PROPYLENE GLYCOL, PHENOXYETHANOL, 2-BROMO-2-NITROPROPANE-1,3-DIOL, SODIUM DEHYDROACETATE, PARFUM, POLYSORBATE-80, ALOE BARBADENSIS GEL, METHYL PARABEN, ETHYL PARABEN, BUTYL PARABEN, BENZOIC ACID, PROPYL PARABEN, COUMARIN, CINNAMYL ALCOHOL, HYDROXYCITRONELLAL, EUGENOL, HEXYL CINNAMAL, CINNAMAL, CITRAL.

4. First aid measures

STST_2

Nel caso di contatto con gli occhi: risciacquare abbondantemente con acqua tiepida.
In case of eye contact rinse with plenty of fresh water, eyelids open.

5. Firefighting measures

Non operare in presenza di fiamme libere, mantenere il prodotto a temperatura ambiente ed evitare surriscaldamenti.
Do not use where naked flame are in proximity of working area, keep the product at environment temperature and avoid heating.

6. Accidental release measures

Asciugare con adatto materiale assorbente, risciacquare l'area interessata allo spandimento, asciugarla quindi con panno assorbente o carta.
Wipe with suitable absorbing materials, rinse the spill area and wipe dry with absorbing fabrics or paper.

7. Handling and storage

7.1. Precautions for safe handling

Impiegare solamente per l'uso previsto. NON E' UN COSMETICO.
Use only for the specific function. THIS PRODUCT IS NOT A COSMETIC.

7.2. Conditions for safe storage, including any incompatibility

Tenere in luogo fresco ed asciutto, al riparo dalla luce solare diretta, da sorgenti di calore e fiamme libere. Tenere ben chiuso e richiudere subito dopo l'uso.
Keep in a cool and dry place, away from direct sunlight, heat sources and naked flame. Keep well closed and close after use.

7.3. Specific end use(s)

Trasferimento dei disegni degli stencils. Transfer of stencil drawing on the skin.

8. Exposure control/personal protection

8.1 Occupational exposure limits n.d. - not determined.....
.....
.....

8.2 Recommended Monitoring Procedures non richiesto - not required.....
.....
.....
.....

8.2.1 Individual protection measures non richiesto - not required.....
.....

8.2.1.1 Respiratory protection.....
.....

8.2.1.2 Hand protection.....
.....
.....

8.2.1.3 eye protection.....
.....
.....

8.2.1.4 Skin protection.....
.....
.....
.....

STST_2**9. Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Crema Gel di colore bianco lucido, odore alcoolico

PRODOTTO NON COSMETICO DESTINATO AL TRASFERIMENTO DI STENCIL PER LA TRACCIA DEL TATUAGGIO

pH 6-7

Gel cream white, slight alcohol scent.

NON COSMETIC PRODUCT SUITABLE TO STENCIL TRANSFER TO PUT THE TATTOO LINES ON THE SKIN

pH 6-7

9.2 Other informations

Utilizzare solamente secondo l'uso previsto

Use only for the specified use.

10. Stability and reactivity**10.1 Reactivity**

Non reattivo - No a reactive admixture

10.2 Chemical Stability

Prodotto chimicamente stabile. The product is chemically stable

10.3 Possibility of hazardous reactions

Può infiammarsi se sottoposto a riscaldamento prolungato ED esposizione a fonti di accensione - May catch fire if heated for a suitable time AND exposed to a source of ignition.

10.4 Conditions to avoid

Temperatura elevata, fiamme libere. High temperature, naked flames.

10.5 Incompatible materials

n.d.

10.6 Hazardous decomposition products

In caso di incendio fumi acri di combustione (NOx, acroleina, particolato catramoso) - In case of fire acrid combustion smokes (NOX, acrolein, particulate)

11. Toxicological informations**STST_2**

Il prodotto è da considerarsi sicuro, se utilizzato secondo le avvertenze.
The product has to be considered SAFE, if used under reported warnings.

Tenere lontano dalla portata dei bambini - Keep out from the reach of children.
Evitare il contatto con gli occhi, nel caso risciacquare abbondantemente - Avoid contact with eyes, in case of accidental contact rinse with plenty of fresh water, also under eyelids.
Richiudere sempre accuratamente dopo l'uso - Keep firmly closed after use.
Tenere lontano da fonti di calore - Keep away from heat sources.

12. Ecological informations**12.1 Ecotoxicity**

n.d. - undetermined

12.2 Persistence and degradability

In base alla composizione, non persistente e facilmente degradabile
Following the composition, not persistent and easily biodegradable

12.3 Bioaccumulative potential

n.d. - undetermined

12.4 Mobility in soil

ci si attende mobilità scarsa o nulla - little or no mobility expected, if any

**12.5 Results of PBT e vPvB
assessment**

non PBT o vPvB - not PBT or vPvB

n.d. - undetermined

12.6 Other adverse effects

13. Disposal considerations**STST_2**

Smaltire i contenitori vuoti preferibilmente all'inceneritore.
Dispose the empty container preferably to incineration.

14. Transport/shipping info**14.1 U.N. Number**

1170 alcoholic solution

14.2 U.N. proper shipping name

Ethanol solution

14.3 Transport hazard class(es)

3

14.4 Packing group

II

14.5 Environmental hazards

n.d. - undetermined

14.6 Special precautions for user

n.d. - data not available

**14.7 Transport in bulk according to All. II to
Marpol 73/78 and IBC code**

15. Regulatory Informations**STST_2****15.1 Safety and environmental regulation / legislation specific for the substance or mixture**

Prodotto non soggetto in quanto non presente in categorie da considerarsi a rischio.

Precauzionalmente, dato il contenuto in alcool, si consigliano le attenzioni per i prodotti infiammabili al riscaldamento prolungato.

The product is not subjected to specific regulations, since is not listed in dangerous products.

Caution should be paid for fire risk to prolonged heating, since the product contains ethanol.

15.2 Chemical safety assessment

Il prodotto è da considerarsi sicuro, se utilizzato secondo le avvertenze.

The product has to be considered SAFE, if used under reported warnings.

16. Other informations

In following pages corrispondence between H and P codes and Hazard and Prudence phrases, following Regulation 1272/2008 and amendments, Annex III

Frase H (pericoli)

- H200 = Unstable explosives
H201 = Explosive; mass explosion hazard
H202 = Explosive, severe projection hazard
H203 = Explosive, fire, blast or projection hazard
H204 = Fire or projection hazard
H205 = May mass explode in fire.
H220 = Extremely flammable gas.
H221 = Flammable gas.
H222 = Extremely flammable aerosol.
H223 = Flammable aerosol.
H224 = Extremely flammable liquid and vapour.
H225 = Highly flammable liquid and vapour.
H226 = Flammable liquid and vapour.
H228 = Flammable solid.
H240 = Heating may cause an explosion.
H241 = Heating may cause a fire or explosion
H242 = Heating may cause a fire.
H250 = Catches fire spontaneously if exposed to air.
H251 = Self-heating: may catch fire.
H252 = Self-heating in large quantities: may catch fire.
H260 = In contact with water releases flammable gases which may ignite spontaneously.
H261 = In contact with water releases flammable gases.
H270 = May cause or intensify fire; oxidiser.
H271 = May cause fire or explosion; strong oxidiser.
H272 = May intensify fire; oxidiser.
H280 = Contains gas under pressure; may explode if heated.
H281 = Contains refrigerated gas; may cause cryogenic burns or injury.
H290 = May be corrosive to metals.
H300 = Fatal if swallowed.
H301 = Toxic if swallowed.
H302 = Harmful if swallowed.
H304 = May be fatal if swallowed and enter airways.
H310 = Fatal in contact with skin.
H311 = Toxic in contact with skin.
H312 = Harmful in contact with skin.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H319 = Causes serious eye irritation.
H330 = Fatal if inhaled.
H331 = Toxic if inhaled.
H332 = Harmful if inhaled.
H334 = May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 = May cause respiratory irritation.
H336 = May cause drowsiness or dizziness.
H340 = May cause genetic defects *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H341 = Suspected of causing genetic defects *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H350 = May cause cancer *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H350i = May cause cancer if inhaled.
H351 = Suspected of causing cancer *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H360 = May damage fertility or the unborn child *<state the specific effect if known><state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H360F = May damage fertility.
H360D = May damage the unborn child.
H360FD = May damage fertility. May damage the unborn child.
H361 = Suspected to damage fertility or the unborn child *<state the specific effect if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H361f = Suspected to damage fertility
H361d = Suspected to damage the unborn child.
H361fd = Suspected to damage fertility. Suspected to damage the unborn child.
H361Fd = May damage fertility. Suspected to damage the unborn child.
H360Df = May damage the unborn child. Suspected to damage fertility.
H362 = May cause harm to the breast-fed children.

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

**SAFETY DATA SHEET/
SCHEMA DI SICUREZZA**

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

H370 = Causes damage to organs <or state all organs affected, if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H371 = May cause damage to organs <or state all affected organs, if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H372 = Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H373 = May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

H413 = May cause long lasting harmful effects to aquatic life.

Further Info on hazards

EUH001 = Explosive when dry.

EUH006 = Explosive with or without contact with air.

EUH014 = Reacts violently with water.

EUH018 = In use may form flammable/explosive vapour-air mixture.

EUH019 = May form explosive peroxides

EUH044 = Risk of explosion if heated under confinement.

EUH029 = Contact with water liberates toxic gas.

EUH031 = Contact with acids liberates toxic gas.

EUH032 = Contact with acids liberates very toxic gas.

EUH066 = Repeated exposure may cause skin dryness or cracking.

EUH070 = Toxic by eye contact.

EUH071 = Corrosive to the respiratory tract.

EUH059 = Hazardous to the ozone layer.

EUH201 = Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

EUH201A = Warning! Contains lead.

EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

EUH203 = Contains Chromium (VI). May produce an allergic reaction.

EUH204 = Contains isocyanates. May produce an allergic reaction.

EUH205 = Contains epoxy constituents. May produce an allergic reaction.

EUH206 = Warning! Do not use together with other products. May release dangerous gases (chlorine).

EUH207 = Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer.

Comply with the safety instructions.

EUH208 = Contains <name of the sensitizing substance>. May produce an allergic reaction.

EUH209 = Can become easily flammable in use.

EUH209A = Can become flammable in use.

EUH210 = Safety data sheet available on request.

EUH401 = To avoid risks to human health and the environment, comply with the instructions for use.

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

**SAFETY DATA SHEET/
SCHEDA DI SICUREZZA**

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

Precautionary statements (generic prudence; details in points 4-5-6-7-8-9-10-11 of this SDS)

P101 = If medical advice is needed, have product container or label at hand.

P102 = Keep out of the reach of children.

P103 = Read label before use

P201 = Obtain special instructions before use.

P202 = Do not handle until all safety precautions have been read and understood.

P210 = Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P211 = Do not spray on an open flame or other source of ignition

P220 = Keep/Store away from clothing/.../combustible materials

P221 = Take any precaution to avoid mixing with combustibles/...

P222 = Do not allow contact with air.

P223 = Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P230 = Keep wetted with ...

P231 = Handle under inert gas.

P232 = Protect from moisture.

P233 = Keep container tightly closed.

P234 = Keep only in original container

P235 = Keep cool.

P240 = Ground/bond container and receiving equipment

P241 = Use explosion-proof electrical/ventilating/lighting/.../equipment

P242 = Use only non-sparkling tools

P243 = Take precautionary measures against static discharge.

P244 = Keep reduction valves free from grease and oil

P250 = Do not subject to grinding/shock/.../friction.

P251 = Pressurized container. Do not pierce or burn, even after use.

P260 = Do not breathe dust/fume/gas/mist/vapours/spray.

P261 = Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 = Do not get in eyes, on skin, or on clothing.

P263 = Avoid contact during pregnancy/while nursing.

P264 = Wash ... thoroughly after handling.

P270 = Do not eat, drink or smoke when using this product.

P271 = Use only outdoors or in a well-ventilated area.

P272 = Contaminated work clothing should not be allowed out of the workplace.

P273 = Avoid release in the environment.

P280 = Wear protective gloves/protective clothing/eye protection/face protection.

P281 = Use personal protective equipment as required.

P282 = Wear cold insulating gloves/face shield/eye protection.

P283 = Wear fire/ flame resistant/retardant clothing.

P284 = Wear respiratory protection.

P285 = In case of inadequate ventilation wear respiratory protection.

P231+P232 = Handle under inert gas. Protect from moisture.

P235+P410 = Keep cool. Protect from sunlight

P301 = IF SWALLOWED:

P302 = IF ON SKIN:

P303 = IF ON SKIN (or hair):

P304 = IF INHALED:

P305 = IF IN EYES:

P306 = IF ON CLOTHING:

P307 = IF exposed:

P308 = IF exposed or concerned:

P309 = IF exposed or if you feel unwell

P310 = Immediately call a POISON CENTER or doctor/physician.

P311 = Call a POISON CENTER or doctor/physician.

P312 = Call a POISON CENTER or doctor/physician if you feel unwell

P313 = Get medical advice/attention.

P314 = Get medical advice/attention if you feel unwell.

P315 = Get immediate medical advice/attention.

P320 = Specific treatment is urgent (see ... on this label)

P321 = Specific treatment (see ... on this label).

P322 = Specific measures (see ... on this label).

P330 = Rinse mouth

P331 = Do NOT induce vomiting.

P332 = If skin irritation occurs:

P333 = If skin irritation or rash occurs:

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

SAFETY DATA SHEET/ SCHEDE DI SICUREZZA

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

-
- P334 = Immerse in cool water/wrap in wet bandageso.
P335 = Brush off loose particles from skiin.
P336 = Thaw frosted part with lukewarm water. Do not rub affected area
P337 = If eye irritation persists:
P338 = Remove contact lensses, if present and easy to do. Continue rinsing..
- P340 = Remove victim to fresh air and keep at rest in a position comfortable for breathing
P341 = If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342 = If experiencing respiratory symptoms
- P350 = Gently wash with plenty of soap and water.
P351 = Rinse cautiously with water for several minutes
P352 = Wash with plenty of soap and water
P353 = Rinse skin with water/shower.
- P360 = Rinse immediately contaminated clothing and skin with plenty of water before removing clothes
P361 = Remove/Take off immediately all contaminated clothing
P362 = Take off contaminated clothing and wash before reuse.
P363 = Wash contaminated clothing before reuse.
- P370 = In case of fire:
P371 = In case of major fire and large quantities:
P372 = Explosion risk in case of fire.
P373 = DO NOT fight fire when fire reaches explosives.
P374 = Fight fire with normal precautions from a reasonable distance.
- P375 = Fight fire remotely due to the risk of explosion.
P376 = Stop leak if safe to do so.
P377 = Laking gas fire: DO NOT extinguish, unless leak can be stopped safely.
P378 = Use ... for extinction
- P380 = Evacuate area.
P381 = Eliminate all ignition sources if safe to do so
- P390 = Absorb spillage to prevent material damage.
P391 = Collect spillage.
- P301+P310 = IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P301+P312 = IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301+P330+P331 = IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
- P302+P334 = IF ON SKIN: Immerse in cool water/wrap in wet bandages.
P302+P350 = IF ON SKIN: Gently wash with plenty of soap and water.
P302+P352 = IF ON SKIN: Wash with plenty of soap and water.
- P303+P361+P353 = IF ON SKIN (or hair): Remove/Take off immediately contaminated clothing. Rinse skin with wwater/shower.
P304+P340 = IF INHALED: Remve victim to fresh air and keep at rest in a position comfortable for breathing.
P304+P341 = IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 = IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy todo. Continue rinsing.
P306+P360 = IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes
P307+P311 = IF exposed: Call a POISON CENTER or doctor/physician.
P308+P313 = IF exposed or concerned: Get medical attention/advice.
P309+P311 = IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P332+P313 = IF skin irritation occurs: Get medical advice/attention.
P333+P313 = IF skin irritation or rash occurs: Get medical advice/attention.
- P335+P334 = Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
P337+P313 = If eye irritation persists: Get medical advice/attention
P342+P311 = If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
- P370+P376 = In case of fire: Stop leak if safe to do so
P370+P378 = In case of fire: USE for extinction
P370+P380 = In case of fire: Evacuate area.
P370+P380+P375 = In case of fire: Evacuate ara. Fight fire remotely due to the risk of explosion.
P371+P380+P375 = In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- P401 = Store ...
P402 = Store in dry place.
P403 = Store in a well-ventilated place.
P404 = Store in a closed container.
P405 = Store locked up.
P406 = Store in corrosive resistant/ ... container with a resitant inner liner
P407 = Maintain air gap between stacks/pallets.
- P410 = Protect from sunlight
P411 = Store at temperature not exceeding ... °C/...°F.
- P412 = Do not expose to temperatures exceeding 50 °C/122°F.
P413 = Store bulk masses greater than ...kg/...lb at temperatures not exceeding ... °C/...°F.

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

SAFETY DATA SHEET/ SCHEMA DI SICUREZZA

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

P420 = Store away from other materials.

P422 = Store contents under ...

P402+P404 = Store in a dry place. Store in a closed container.

P403+P233 = Store in a well-ventilated place. Keep container tightly closed.

P403+P235 = Store in a well-ventilated place. Keep cool.

P410+P403 = Protect from sunlight. Store in a well-ventilated place.

P410+P412 = Protect from sunlight. Do not expose to temperatures exceeding a 50 °C/122°F.

P411+P235 = Store at temperatures not exceeding ... °C/ ... °F. Keep cool

P501 = Dispose of contents/container to ...

Data and information in the present MSDS complies with actual regulation about classification, labeling and packaging of dangerous substances and products.

It is strongly recommended to the user to check and fully respect all the national, regional and local regulations applicable to the specific use, and to respect regulations about worker's hygiene and safety and environment protection.

All informations in this document are considered true and are given in good faith at best of our knowledge. All the way, they do not state any obligation, warranty, freedom of use of intellectual properties, or grant a license.

Product characterists as reported in this document DO NOT state contractual specifications.
